



- An impact, scratch and burn resistant signalisation
- All devices are splash resistant and easy to clean
- The durable yet attractive design makes it ideal for public transport, airports, public buildings, goods, residential, and office or retail elevators.
- Complies with European standard (EN81-71) for vandal resistant elevators category 1 requirements
- Complies with European accessibility standard (EN81-70)



KONE EN81-71 CATEGORY 1


Vandal Resistant Lift

Car Finishing Options: MonoSpace Standard

Ceilings



Doors



Asturias Satin (F)

Walls

Stainless steel



Asturias Satin (F)



Flemish Linen (M)



Scottish Quad (K)

Floors



Diorite Black (SF2)



Bianco Perla (SF5)

Handrail




HR53, HR53L or HR51TR

Car Finishing Options: MonoSpace Exclusive

Ceilings



Doors



Asturias Satin (F)

Walls

Stainless steel



Asturias Satin (F)



Flemish Linen (M)



Scottish Quad (K)



Tahoe leather (G)



Artic mesh (D)


Floors



Diorite Black (SF2)



Bianca Perla (SF5)



Tuscan Grey (SF6)



Marble White (SF21)



Pacific Blue (SF22)




Ayres Red (SF23)

Handrail



HR41R



HR41TR

Car operating panel (COP)


Faceplate finishing: Scottish Quad, textured stainless steel and Asturias Satin stainless steel

Displays: Scrolling dot matrix

Buttons: Round, surface mounted


Color: Amber

Fixing type: Flush mounted with KONE shield screws.



KSC 133

Full height COP



KSS130 functions and features

Dual function emergency symbols

The integrated emergency symbols have a dual function, working as an emergency light and as a call connection sequence indicator.

Emergency light



In case of a power failure the symbols are backlit with bright light, illuminating the car and ensuring the instructions are clearly visible for persons trapped in the car.

Emergency connection indicators




The amber alarm bell symbol lights up when the alarm button is pressed.



The symbols light up step by step showing the progression of the call.




When the green light is on, the call is connected to the emergency call center.



Durable faceplates

The textured faceplates conceal scratches and keep the devices in good condition for longer. In addition they offer attractive design features for both new and existing elevators.

Shielded display units



Landing signalisations


Display

- All devices are impact, scratch and burn resistant.
- The displays are covered by a strong steel mesh.
- The cutouts for the display lights are filled with fire resistant transparent plastic.
- Available in variable dimensions to fit existing faceplate spaces.

Hall lantern indicator



KSH 133




Hall lantern



KSH 130



KSH 130



Landing call station



KSL 130

